



THUASNE

WINGS
FOR YOUR HEALTH



HEMOCARE 2020



EDITORIAL

THUASNE, today is...



2 200
employees around
the globe



A turnover of
223 M
euros in 2018



40 %
of sales made
internationally



A commercial
presence in
85 countries



14
industrial sites in Europe
and the USA



22,000
professional customers



30 to 40
new product references
every year



15 million
kilometres of knitted
thread



5,000
km of fabric
produced/year

“

With its operations spanning the worlds of medicine, materials and digital technology, Thuasne creates and distributes medical devices enabling everyone to become an active player in their own health.

Our joint commitment enables us to offer, year after year, a range of effective solutions to help patients to preserve their mobility and autonomy. Patients can therefore continue to live at home or in a medical environment in better conditions, with the most activity, freedom and independence.

”

Elizabeth Ducottet
CEO

MOBILITY AND TRANSFER

CRUTCHES AND STICKS	6
STICKS ACCESSORIES	14
WALKERS	15
ROLLATORS	17
WHEELCHAIRS	21
LIFT CHAIRS	22

AIDS FOR DAILY LIVING

SHOWER SEATS	26
BATH SEATS	28
BATH ACCESSORIES	29
TOILET SEAT RAISERS	30
COMMODOES	32
BLOOD PRESSURE MONITORS	34
THERMOMETERS	36

BEDS AND RELATED ITEMS

AIDS TO PREVENT PRESSURE SORES	40
CUSHIONS	42
MATTRESSES	44
PILLOWS	46
MEDICAL BEDS	47
BED ACCESSORIES	50



MOBILITY AND TRANSFER

CRUTCHES AND STICKS

STICKS ACCESSORIES

WALKERS

ROLLATORS

WHEELCHAIRS

LIFT CHAIRS

CRUTCHES - STICKS

Globe-Trotter + crutch

Comfortable crutch with soft handle and reflector

COMFORTABLE

Soft handle.

ADJUSTABLE

Height adjustable to suit the patient's size.

LIGHTWEIGHT AND STRONG

Aluminium tube.

ANTI-SKID:

PVC tip.

SECURE

Light reflector at the front of the handle.


DISCREET/QUIET

Anti-noise ring.

Accessories available on page 14

Snow grips

Globe-Trotter walking stick tips



148 - 192 cm
150 kg max

Ref. W2017 021 006

x 6 pairs

Adjustable height

from 77 to 99 cm

Weight

550 g per unit



Globe-Trotter crutch

Classic crutch with ribbed handle

PRACTICAL

Ribbed handle with stop to prevent the hand from sliding.

ADJUSTABLE

Height adjustable to suit the patient's size.

LIGHTWEIGHT AND STRONG

Aluminium tube.

ANTI-SKID

PVC tip.


DISCREET/QUIET

Anti-noise ring.

Accessories available on page 14

Snow grips

Globe-Trotter walking stick tips



148 - 192 cm
150 kg max

Crutches tested
by CERAH (France)
according
to ISO 11334-1
standard

Grey

Ref. W2016 022 010

x 10 pairs

Blue

Ref. W2016 021 010

x 10 pairs

Adjustable height

from 77 to 99 cm

Weight

550 g per unit



Child's crutch

Children crutch with light reflectors

COMFORTABLE

Soft handle.

ADJUSTABLE

Height adjustable to suit the patient's size.

ANTI-SKID

Rubber tip.

LIGHTWEIGHT AND STRONG

Aluminium tube.

SECURE

Light reflector at the front and at the back of the handle for more visibility.



Comfort crutch

Adult crutch with an ergonomic handle and a closed cuff

PRACTICAL

Cuff that enables to release the handle without putting down the crutch.

COMFORTABLE

Soft and ergonomic handle.

ADJUSTABLE

Brachial support and height-adjustable tube to suit the patient's size.

LIGHTWEIGHT AND STRONG

Aluminium tube, anodized coating to provide better resistance to wear, corrosion and heat.

ANTI-SKID

PVC tip.

DISCREET/QUIET

Anti-noise ring.



Axilla crutch

Axilla crutch for adults

COMFORTABLE

Padded support points.

ADJUSTABLE

Height of crutches adjustable to suit the patient's height. Adaptable handle position according to arm length.

LIGHTWEIGHT AND STRONG

Aluminium tube.

ANTI-SKID

PVC tip.

DISCREET/QUIET


Anti-noise ring.

RECOMMENDATION:

Put the axillary crutches against the torso. Approximately 5 cm should be left between the top of the crutches and the underarms.

Accessories available on page 14


Snow grips



135 - 195 cm
130 kg max



Walking sticks
tested by CERAH
(France) according
to NF EN 1985
standard



110 - 144 cm
100 kg max



Crutches tested
by CERAH (France)
according
to ISO 11334-1
standard



142 - 186 cm
130 kg max



Crutches tested
by CERAH (France)
according
to ISO 11334-1
standard

Ref. W2015 003 001	Per pair
Adjustable height	from 58 to 75 cm
Weight	470 g per unit

Metallic blue

Ref. W2030 004 002	Per pair
Adjustable height	from 74 to 96 cm
Arm support adjustable	from 24 to 32 cm
Weight	860 g per unit

Small height (S)

Ref. W2010 002 101	Per pair
Patient height	135 - 155 cm
Adjustable height	from 90 to 110 cm

Medium height (M)

Ref. W2010 002 201	Per pair
Patient height	155 - 175 cm
Adjustable height	from 110 to 130 cm

Large height (L)

Ref. W2010 002 301	Per pair
Patient height	175 - 195 cm
Adjustable height	from 130 to 150 cm
Weight	between 850 g & 990 g

WHICH STICK FOR WHICH SITUATION?

ADJUSTABLE HEIGHT

MEDIUM SUPPORT



Better distribution of the grip force

Classic walking stick T-shaped handle

Adjustable height	Product weight	
77,5 to 101 cm	340 g	100 kg max



STRONG SUPPORT



Adapted to the shape of the hand for a better grip

Soft Walk deluxe walking stick

Adjustable height	Product weight	
74 to 94 cm	395 g	130 kg max



ART walking stick

Adjustable height	Product weight	
77 to 100 cm	400 g	100 kg max



FIXED HEIGHT

SLIGHT SUPPORT



Curved handle adapted to the palm

Wooden walking stick Crook handle

Adjustable height	Product weight	
90 cm can be cut	300 g	100 kg max



MEDIUM SUPPORT



Better distribution of the grip force

Wooden walking stick T-shaped handle

Adjustable height	Product weight	
90 cm can be cut	300 g	100 kg max



FOLDING

SLIGHT SUPPORT



Ergonomic shape: good grip

MyLittleCane

Adjustable height	Product weight	
82 to 89,5 cm	250 g	120 kg max



Elite folding stick

Adjustable height	Product weight	
82 to 94 cm	320 g	120 kg max



MEDIUM SUPPORT



Better distribution of the grip force


Classic folding stick

Adjustable height	Product weight	
83 to 93 cm	350 g	100 kg max



A good use of the walking stick is required, incorrectly adjusted, it may cause back and shoulder pain.

USER SIZE (IN CM)	HEIGHT OF THE WALKING STICK TO BE CHOSEN
148 - 154	77
155 - 159	80
160 - 161	83
162 - 163	84
164 - 167	86
168 - 169	87
170 - 171	88
172 - 173	89
174 - 175	90
176 - 177	91
178 - 179	92
180 - 181	93
182 - 183	94
184 - 185	95
186 - 187	96
188 - 189	97
190 - 191	98
192 - 193	99



The handle of the walking stick should be at the level of your wrist when you stand with your relaxed arms on each side of your body.

ADJUSTABLE WALKING STICKS



ART walking stick with an anatomical handle

Adjustable walking stick with anatomical handle

ANATOMICAL

Handle providing good support distribution.

ADJUSTABLE

Wide height adjustment range to suit the patient's size.

LIGHTWEIGHT AND STRONG

Aluminium tube.

ANTI-SKID

Rubber tip.

DISCREET/QUIET

Anti-noise ring.

Accessories available on page 14

Flexible tips




148 - 194 cm
100 kg max

Walking sticks tested by CERAH (France) according to NF EN 1985 standard 

Right

Ref. W2110 001 001

Left

Ref. W2111 001 001

Adjustable height from 77 to 100 cm

Weight 400 g



Soft Walk anatomically-shaped deluxe walking stick

Adjustable walking stick with anatomical handle, reflector and wrist strap

STABLE

Anatomical handle provides better support distribution.

ADJUSTABLE

Height adjustable to suit the patient's size.

ELEGANT AND LIGHTWEIGHT

Metallic brown aluminium tube.

SECURE

Light reflector at the front and at the back of the handle for more visibility.

ANTI-SKID

Rubber tip.

INCLUDED ACCESSORY

Wrist strap.

Classic walking stick with a T-shaped handle

Adjustable walking stick with T-handle

ADJUSTABLE

Wide height adjustment range to suit the patient's size.

STABLE

T-shaped handle providing a good support distribution.

LIGHTWEIGHT AND STRONG

Aluminium tube.

ANTI-SKID

Rubber tip.

DISCREET/QUIET

Anti-noise ring.

Wooden walking sticks

Wooden walking sticks - Can be cut

ELEGANT AND STRONG

Chestnut wood walking stick with a varnish protection.

ANTI-SKID

Rubber tip.

ADJUSTABLE

Can be cut by using a saw.

AVAILABLE IN TWO VERSIONS:

- **Curved handle walking stick:** enables the walking stick to be hooked onto an arm.
- **T-handle walking stick:** provides a good support distribution.


Accessories available on page 14

Soft Walk walking stick tips



Accessories available on page 14

Classic walking stick tips



Right

Ref. W2130 001 001

Left

Ref. W2131 001 001

Adjustable height from 74 to 94 cm

Weight 395 g (with wrist strap)

Black

Réf. W2090 001 001

Adjustable height from 77,5 to 101 cm

Weight 340 g

Curved handle walking stick

Ref. W2040 003 018

T-handle walking stick

Ref. W2100 001 048

Height 90 cm

Weight 300 g

FOLDING WALKING STICKS



MyLittleCane

Folding fancy walking stick with wooden Derby handle



PRACTICAL

Easy to transport: foldable in 5 sections.

ADJUSTABLE

Height adjustable to suit the patient's size.

LIGHTWEIGHT AND STRONG

Aluminium tube and wooden handle.

ANTI-SKID

Rubber tip.

DISCREET/QUIET

Anti-noise ring.

INCLUDED ACCESSORIES

Wrist strap and storage pocket included.



Liberty



Rose



Wild fruit



Cashmere



Bellflower



Red diamond

Accessories available on page 14

MyLittleCane walking stick tips



cm
158 - 173 cm
kg
100 kg max

Walking sticks tested by CERAH (France) according to NF EN 1985 standard

Liberty

Ref. W2072 002 501

Cashmere

Ref. W2072 003 501

Rose

Ref. W2072 004 501

Adjustable height	from 82 to 89.5 cm 4 positions - 2.5-cm increments
Length when folded	23 cm
Handle (L x W)	11,7 x 2,3 cm
Weight	250 g
Pouch (L x W)	29 x 15 cm

Wild fruit

Ref. W2072 005 501

Bellflower

Ref. W2072 006 501

Red diamond

Ref. W2073 001 501

Adjustable height	from 82 to 89.5 cm 4 positions - 2.5-cm increments
Length when folded	23 cm
Handle (L x W)	11,7 x 2,3 cm
Weight	250 g
Pouch (L x W)	29 x 15 cm



Elite folding stick

Folding walking stick with wooden Derby handle

PRACTICAL

Easy to transport: foldable in 4 sections.
Curved handle to hang the crutch.

ELEGANT

Checkerboard pattern.

ADJUSTABLE

Height adjustable to suit the patient's size.

LIGHTWEIGHT AND STRONG

Aluminium tube and wooden handle.

ANTI-SKID

Rubber tip.

DISCREET/QUIET

Anti-noise ring.

INCLUDED ACCESSORIES

Strap and storage pocket included.



Classic folding stick

Folding walking stick with T-handle

PRACTICAL

Easy to transport: foldable in 4 sections.

STABLE

T-shaped handle providing a good support distribution.

ADJUSTABLE

Height adjustable to suit the patient's size.

LIGHTWEIGHT AND STRONG

Aluminium tube and wooden handle.

ANTI-SKID

Rubber tip.

DISCREET/QUIET

Anti-noise ring.

Accessories available on page 14

Elite walking stick tips



Accessories available on page 14

Classic folding walking stick tips



Grey and black checkerboard

Ref. W2071 001 401

Adjustable height	from 82 to 94 cm 5 positions - 3-cm increments
Length when folded	30 cm
Handle (Lxl)	12,9 x 2,3 cm
Weight	320 g
Pouch (Lxl)	37 x 17,5 cm
Length when folded	23 cm
Handle (Lxl)	11,7 x 2,3 cm
Weight	250 g
Pouch (Lxl)	29 x 15 cm



Black

Ref. W2070 001 001

Adjustable height	from 83 to 93 cm
Length when folded	31 cm
Weight	350 g



STICKS ACCESSORIES


Wrist strap only

- Can be adapted to any walking sticks

Black

Ref. WW21300001A

Per unit



Flexible tips

- Flexible tips for Globe-Trotter crutch and Globe-Trotter+ crutch

Grey

Ref. WW2016 0016A

In packs of 6

Inside diameter

19 mm



- For Globe-Trotter blue crutch

Blue

Ref. WW2016 0008A

In packs of 6

Inside diameter

19 mm



- For Elite folding stick

Black

Ref. WW2071 00101

Inside diameter

17 mm



- For Classic folding stick, Classic t-shaped handle stick and ART anatomical handle stick

Black

Ref. WW5950 0001A

Inside diameter

19 mm



- For MyLittleCane

Black

Ref. WW2072 00104

Brown

Ref. WW2072 00101

Inside diameter

16 mm



- For Soft Walk walking stick

Black

Ref. WW2130 000 2A

Inside diameter

16 mm




Snow grips

- For use on frozen or snow-covered surfaces.
- For walking sticks with a diameter between 16 and 20 mm.

Ref. W2018 001 001



WHICH WALKER OR ROLLATOR FOR WHICH SITUATION?



WALKERS ROLLATORS



Fixed walker

Fixed walking frame

STABLE

Inclined feet.

ADJUSTABLE

Height adjustable to suit the patient's size.

LIGHTWEIGHT AND STRONG

Lightweight aluminium frame (1.8kg).

ANTI-SKID

Rubber tip.



Folding walker

Folding walking frame

ADJUSTABLE

Height adjustable to suit the patient's size.

SPACE SAVING

Easy folding system.

ANTI-SKID

Rubber tip.



Hinged folding walker

Articulated folding walking frame

WALKING AID

Articulated system to facilitate progression (2 types of steps: long and short).

ADJUSTABLE

Height adjustable to suit the patient's size.

SPACE SAVING

Easy folding system.

ANTI-SKID

Rubber tip.



100 kg
max

Walkers tested
by CERAH (France)
according to
ISO 11199
standard



100 kg
max

Walkers tested
by CERAH (France)
according to
ISO 11199
standard



100 kg
max

Walkers tested
by CERAH (France)
according to
ISO 11199
standard



Blue

Ref. W2320 001 001

Adjustable height	from 78 to 85 cm
Width x Depth Max.	63 x 41 cm
Weight	1.8 kg

Blue

Ref. W2300 003 002

Adjustable height	from 78 to 90 cm (in 2.5-cm steps)
Width x Depth Max.	69 x 47 cm
Weight	3 kg
Folded	80 x 49 x 18.5 cm

Blue

Ref. W2310 003 002

Adjustable height	from 78 to 90 cm
Width x Depth Max.	69 x 47 cm
Weight	3 kg
Folded	79.5 x 47.5 x 19.5 cm



Rollator Duo Comfort

2 front wheels rollator with seat

Indoor use

ADAPTABLE

Removable backrest and height-adjustable handles to suit the patient's size.

SPACE SAVING

Easy folding system.

ANTI-SKID

Rubber tip.

COMFORTABLE

Raised and padded seat height.



100 kg
max

Rollators tested
by CERAH (France)
according to
ISO 11199
standard



Grey

Ref. W2220 003 002

Adjustable height	from 79 to 96 cm
Rollator (W x D)	58.5 x 65 cm
Seat height	52 cm
Weight with/without backrest	5.7 kg / 5.3 kg



Rollator Trio

3 wheels rollator with basket and tray

Indoor and outdoor use

ADJUSTABLE

Ergonomic handles with height adjustment to suit the patient's size.

PRACTICAL

Easily foldable and transportable.

EASY TO HANDLE

Pivoting front wheel.

SECURE

Brakes to slow down walking or parking brake to stop the wheels.

INCLUDED ACCESSORIES

Storage basket and tray.



100 kg
max

Rollators tested
by CERAH (France)
according to
ISO 11199
standard



Blue

Ref. W2200 004 002

Adjustable height	from 80.5 to 92.5 cm
Rollator (W x D)	64 x 69 cm
Weight	7 kg



ROLLATORS



Rollator New Design

4 wheels light rollator with seat, shopping bag and cane holder
Indoor and outdoor use.

NEW

PRACTICAL

Compact, it folds with one hand and is equipped with a sidewalk crossing aid.

COMFORTABLE

Padded seat and flexible backrest.

SECURE

Brakes to slow down walking or parking brake.

ADJUSTABLE

Height adjustable handles to suit the patient's size.
to block the wheels.

INCLUDED ACCESSORIES

Removable shopping bag and reversible cane holder right/left.



Folds effortlessly with one hand.
Helps to cross sidewalks and obstacles.



Folded, it stands upright. Narrow, it is only 23 cm wide. Easy to store, it can be folded with the shopping bag.



Totally folded, it is ultra-compact. Ideal in the trunk of a car, on public transport or on a plane.



130 kg
max

Rollators tested
by CERAH (France)
according to
ISO 11199
standard



Grey, black and blue

Ref. W2230 002 001

Adjustable handle height	from 79 to 91.5 cm 2.5-cm increments	cm
Rollator (W x D)	67 x 70	cm
Folded rollator (W)	23	cm
Seat (W x D)	45 x 22,5	cm
Seat height	54	cm
Total weight with basket	7.9	kg
Approximate user size	160 to 190	cm



Rollator Quatro

4 wheels rollator with basket, tray and cane holder

Indoor and outdoor use.

PRACTICAL

Easily foldable and transportable.
Stands up when folded.

SECURE

Brakes to slow down walking or parking
brake to stop the wheels.

ADJUSTABLE

Height adjustable handles to suit the
patient's size.

INCLUDED ACCESSORIES

Storage basket, tray and cane holder.



130 kg
max

Rollators tested
by CERAH (France)
according to
ISO 11199
standard



Blue

Ref. V0504026

Grey

Réf. V0504029

Adjustable height from 78.5 to 97.5 cm

Rollator (W x D) 59.5 x 67.5 cm

Seat (W x D) 39 x 22 cm

Seat height 60,5 cm

Weight 11,4 kg (without tray and basket)



Rollator Move Light

4 wheels rollator with seat, basket and cane holder

Indoor and outdoor use.

LIGHTWEIGHT AND STRONG

Aluminium frame.

PRACTICAL

Easily foldable and transportable.

COMFORTABLE

Wide padded seat and backrest.

EASY TO HANDLE

Pivoting front wheel.

SECURE

Brakes to slow down walking or parking
brake to stop the wheels.

ADJUSTABLE

Height adjustable to suit the patient's size.

INCLUDED ACCESSORIES

Storage basket and cane holder.



100 kg
max

Rollators tested
by CERAH (France)
according to
ISO 11199
standard



Blue

Ref. V0504185

Grey

Réf. V0504180

Adjustable height from 81 to 92 cm

Rollator (W x D) 61 x 71 cm

Seat (W x D) 30 x 29.5 cm

Seat height 58 cm

Weight 7.5 kg



WHEELCHAIRS



Exists in the following seat widths:
41 - 45 - 51 cm

Classic light

Lightweight and foldable

COMPACT AND LIGHTWEIGHT

Lightweight frame that can be easily transported.

ADJUSTABLE

Height-adjustable footrests

PRACTICAL

Easy folding thanks to the removable wheels and footrests.

SECURE

Fireproof treated seat.

COMFORTABLE

Padded seat and backrests.

WHEELS

8x1" front wheels with tires

24" back wheels available in:

- Tire: absorbs shocks and improves propulsion.
- Bandage: strong wheel, low maintenance.



120 kg
max

Wheelchairs
tested by CERAH
(France) according
to NF EN 12183
standard

2-year
warranty

Black / Black

Ref. W5500

Width overall	59,5 / 63,5 / 69,5 cm
Length x height overall	13 x 98 cm
Seat height	50 cm
Seat depth	41 cm
Weight of the wheelchair/frame	18 / 10 kg



Leg-rest / footrest

For Classic Light

Left Ref. WW550 000 026

Right Ref. WW550 000 027

For Classic DF2

Left Ref. WW531 000 016

Right Ref. WW531 000 017



Classic DF 2

Foldable, standard and high-performance.*

STRONG

Solid steel frame with double cross-brace.

COMFORTABLE

Padded nylon seat and backrest.

PRACTICAL

Rear pocket behind the backrest.

SECURE

Fire-retardant treated*.

WHEELS

8" x 2" front wheels with soft tires.

24" or 12" rear wheels with soft tires.



120 kg
max

Wheelchair tested
according to
standard NF EN 12182
and 12183 by
ERAH (France)

Black / Blue

Ref. W5310

Total width	62 / 64 / 66 / 72 cm
Length x total height	108 x 92 cm
Seat height	46 to 48 cm
Seat depth	41 / 43 / 45 / 51 cm
Weight of the wheelchair/frame	18 / 11 kg

* EC technical documentation

ANTI-TIP SYSTEM

The anti-tip devices limit the backward tilt, reducing the risk of the wheelchair overturning.

Ref. WW531 000 022

PELVIC SUPPORT BELT

The belt prevents the user from sliding down, or from falling out of the wheelchair.

Ref. WW531 000 023

LIFT CHAIRS



Lift chairs suitable for institutional use (tested in accordance with standard EN 1021-1 and 2 for fire resistance)

Lift chair John

COMFORTABLE

Padded armchair

ADAPTABLE

4 positions (sitting, relaxing, lying down, lifting).

Two-button remote control to adjust the position of the armchair.

PRACTICAL

Wheels at the back of the armchair to move it easily.

EASY INSTALL PROCESS

Can be quickly assembled without tools. Backrest delivered disassembled.

SECURE

Fireproof treated seat.

AVAILABLE IN 2 COLOURS:

Moka imitation leather:

Very soft, waterproof and easy-care coating. Cotton/polyester, polyurethane coated.

Chocolate:

100% polyester microfibre fabric. Protections for the headrest and armrests included.



130 kg
max

2-year
warranty*

Moka

Ref. W7503 440 001

Chocolate

Ref. W7503 214 001

Seat height	48 cm
Armchair (W x D x H)	84 x 81 x 105 cm
Width between armrests	55 cm
Seat depth	50 cm
Length overall in the reclined position	163 cm
Weight of the armchair	55 kg

* 2 year warranty on electrical system and structure.
Excluding remote control 1 year warranty.



Moka



Chocolate



Chocolate
color



Lifting



Upright



Relaxed



AIDS FOR DAILY LIVING

SHOWER SEATS

BATH SEATS

BATH ACCESSORIES

TOILET SEAT RAISERS

COMMUNICATORS

BLOOD PRESSURE MONITORS

THERMOMETERS

SHOWER SEATS



Shower stool

PRACTICAL

Perforated seat facilitating water drainage.

ADJUSTABLE

Height adjustable seat.

STRONG

Aluminium frame.

SECURE

2 handles and granular surface to prevent slipping.

ANTI-SKID

Rubber tip.



Shower chair

PRACTICAL

Perforated backrest and seat facilitating water drainage.

ADJUSTABLE

Height adjustable seat.

STRONG

Aluminium frame.

SECURE

2 handles and granular surface to prevent slipping.

ANTI-SKID

Rubber tip.



Mobile shower chair

EASY TO HANDLE

4 pivoting wheels.

SPACE SAVING

Foldable footrest.

PRACTICAL

Perforated backrest and seat facilitating water drainage.
Foldable footrests.

STRONG

Epoxy coated aluminium frame.

SECURE

Back brakes to block the wheels.



Ref. W1610 001 000

Adjustable seat height	from 36 to 46 cm
Chair and stool seat (W x D)	51 x 31 cm
Weight	2 kg



Ref. W1600 001 001

Adjustable seat height	de 36 à 46 cm
Assise (l x p)	51 x 31 cm
Weight	3,5 kg



Ref. V1214515

Chair (W x D)	51 x 58 cm
Seat height	48 cm
Seat (W x H x D)	46 x 41 x 38 cm
Seat width between armrests	44 cm
Weight	8 kg



Fold-up shower seat

PRACTICAL

Perforated seat facilitating water drainage, takes little space in right position.

EASY INSTALL PROCESS


Delivered with an installation guide.



125 kg
max

Ref. V1214519

Seat (W x D)	42 x 38 cm
Seat down (D x W x H)	52 x 42 x 11 cm
Seat up (D x W x H)	12 x 42 x 45 cm
Weight	3 kg



Protectors for the shower

Available in 4 models: hand, arm, leg, foot.

PRACTICAL

Protect orthotics, casts and plasters from splashing water.

EASY TO USE

Wide opening for easy slipping on.

GOOD HOLD

Reusable adhesive strips

ADAPTABLE

One size fits all types of patients.

ECONOMICAL

Reusable protections
(sold in packs of 3).

Hand (10 x 30 cm)

In packs of 3

Ref. W1860 001 001

Arm (70 x 30 cm)

In packs of 3

Ref. W1860 001 002

Leg (110 x 50 cm)

In packs of 3

Ref. W1860 001 003


Foot (80 x 50 cm)

In packs of 3

Ref. W1860 001 004



BATH SEATS



Bath seats

PRACTICAL

Perforations facilitating the drainage of water.

ADAPTABLE

Width adjustable to fit the bathtub walls.

STRONG

Stainless steel and aluminium structure.

AVAILABLE IN 2 VERSIONS:

- Without backrest
- With backrest

Pivoting bath seat

STABLE

2 stabilization axes, rubber skids.

PRACTICAL

360° swivel seat, locks every 90° thanks to a flexible handle.

STRONG

Aluminium structure.

Bath boards

With suction cups

EASY INSTALL PROCESS

Fast fixing thanks to the 2 suction cups.

PRACTICAL

Cut-out at the front to facilitate intimate hygiene.

SECURE

2 adjustable and adhesive suction cups.

Bath boards

With handle

PRACTICAL

Large and anatomical seat. Integrated soap dish.

EASY INSTALL PROCESS

Adapts to the bathtub without tools.



With back

Ref. V1214521

Seat (W x D)	42 x 38 cm
Total width x height (overall)	65 - 72 x 37 cm
Width between armrests	44 - 51 cm
Armrest height	22 cm
Weight	4,65 kg

Backless

Ref. V1214520

Seat (W x D)	42 x 38 cm
Seat height	0 - 12 - 22 cm
Width x height overall	65 to 72 x 27 cm
Width between armrests	44 - 51 cm
Weight	3,2 kg



Ref. V1217532

Seat (W x D)	42 x 39 cm
Total width (overall)	71 cm
Width between armrests	56 cm
Weight	4 kg
Weight	3,2 kg



With suction cups


Ref. W1820 002 002

Board (D x W x H)	69 x 27 x 10 cm
Total width (min-max)	27 cm
Width adjustable pads	40 - 61 cm
Maximum internal width (bath)	61 cm
Weight	1,3 kg

With handle

Ref. W1820 003 001

Board (D x W x H)	68 x 27 x 20 cm
Total width (min-max)	27-33 cm
Width adjustable pads	42,5 - 65 cm
Maximum internal width (bath)	65 cm
Weight	1,8 kg



Anti-slip grab bars

SECURE

Anti-slip material to secure movements or transfers.

EASY INSTALL PROCESS

Fixed with 4 screws and dowels (not included).

AVAILABLE IN 2 VERSIONS

- **straight bar**: secures transfers in the bathroom, on stairs...
- **angled bar**: to stand up from the toilet or bathtub.



Straight bar: for safer transfer in the bathroom, on the stairs, etc...

30 cm

Ref. V1213716

45 cm

Ref. V1213717

60 cm

Ref. V1213718


Angled bar: for getting up from the toilet or out of the bath.

33 cm

Ref. V1213719

40 cm

Ref. V1213720



Loop rail

SECURE

Secures movements or transfers.

Most often used in pairs, installed on either side of the toilet, 60 cm apart and at a height of about 80 cm



Sold individually

Ref. V1213714

Wall bar (L x H x W) 70 x 20 x 10 cm

TOILET SEAT RAISERS



Soft seat raiser

COMFORTABLE

Made of foam protected by an impermeable film.

PRACTICAL

Cut-out at the front for easy intimate hygiene.

ADAPTABLE

Easily fits on most toilets.

EASY TO MAINTAIN

Water & soap or non-chlorinated products.



185 kg
max

11 cm

Ref. W1550 001 001

Autoclavable

5 min at 90 °C



Seat raiser with quick fit brackets

Available with or without lid

PRACTICAL

Cut-out at the front for easy intimate hygiene.

EASY INSTALL PROCESS

4 fixing points.

ADAPTABLE

Easily fixed to most toilets.

EASY TO MAINTAIN

Easy-care.



With lid

10 cm Ref. V1214722

Without lid

10 cm Ref. V1214721



Seat raiser with bracket attachment system

Available with or without lid

PRACTICAL

Cut-out at the front for easy intimate hygiene.

ADAPTABLE

Fixing brackets, adjustable with 2 external buttons.

EASY INSTALL PROCESS

Installation and removal quick system of the seat raiser.

EASY TO MAINTAIN

Easy-care.



With lid

10 cm

Ref. W1840 005 201

14 cm

Ref. W1840 005 301

Without lid

10 cm

Ref. W1840 004 201

14 cm

Ref. W1840 004 301



Clip-on seat raiser

PRACTICAL

Cut-out at the front for easy intimate hygiene.

LIGHT

Easily transportable.

EASY INSTALL PROCESS

Clip directly onto the toilet seat.

EASY TO MAINTAIN

Easy-care.



10 cm

Ref. W1510 003 001

Autoclavable

5 min at 90 °C

COMMODOES



Classic commode

STRONG

Wide structure and thick legs, maximum weight up to 120 kg.

COMFORTABLE

Thick padding, wide backrest.

PRACTICAL

Retractable bucket by the seat or sideways to avoid patient transfer.

HYGIENIC

Smell-free cover with double border.



Sold individually

Ref. V1214540

In set of 3

Ref. V1214541

Floor-lavatory seat height	48 cm
Seat width	44 cm
Width between armrests	55 cm



Commode

COMFORTABLE

Padded seat and backrest.

PRACTICAL

Retractable bucket by the seat or laterally to avoid patient transfer.

HYGIENIC

Smell-free cover with double border.



Sold individually

Ref. V1216540

In set of 3

Ref. V1216541

Floor-lavatory seat height	49 cm
Seat width	45 cm
Width between armrests	52,5 cm

3 in 1 commode

3 FUNCTIONALITIES

Toilet chair, seat raiser and toilet frame.

ADJUSTABLE

Height adjustable seat.

PRACTICAL

Foldable and easy to transport.

EASY INSTALL PROCESS

Assembly and disassembly without tools in 5 minutes.

STRONG

Epoxy painted steel frame.

HYGIENIC

Anti-projection and lid system.

Toilet chair
(with navy blue toilet lid)



White, light blue, navy

Ref. W1910 001 001

Adjustable seat height (7 positions)	43 to 58 cm
Width between armrests	47,5 cm

Mobile commode

FUNCTIONAL

Retractable footrests and armrests to facilitate transfers.

PRACTICAL

Foldable backrest. Can be placed above the toilet.

COMPACT

Easy to transport once dismantled.

SECURE

Back brakes to stop the wheels.



Blue

Ref. W1960 002 002

Height under the seat	46 cm
Width between armrests	46 cm
Height of the backrest	44,5 cm
Casters diameter	125 mm
Chair (W x D x H)	56 x 77 x 95 cm

BLOOD PRESSURE MONITORS



Supplied with 4 AA 1.5V batteries.
Validated A/A by the BHS

Automatic arm blood pressure monitor 3 measures system

For regular monitoring of the blood pressure.

PRECISE

Automatically takes 3 successive measurements and calculates a weighted average (MAM technology).

CONVENIENT

Runs on batteries or AC adapter (optional).

ERGONOMIC

Large screen, easy to read.

INTELLIGENT

Stores up to 200 measurements to facilitate medical follow-up for one or two users. PC connection to track the measurements via an application.

INCLUDED ACCESSORIES

Transport pocket, health passport, detailed instructions and quick start guide.

5-year
warranty



Ref. W0840 004 001



Supplied with 4 AA 1.5V batteries.
Validated A/A by the BHS

Classic arm blood pressure monitor

For regular blood pressure monitoring.

ACCURATE

Fast and reliable measurement.

CONVENIENT

Runs on batteries or AC adapter (optional).

INTELLIGENT

Stores up to 99 measurements to facilitate medical follow-up.

INCLUDED ACCESSORIES

Transport pocket, health passport, detailed instructions and quick start guide.



Supplied with 2 x AAA 1.5 V batteries.

Compact wrist blood pressure monitor

For quick and easy blood pressure measurement.

LIGHT

Discreet and easy to carry.

CONVENIENT

Runs on batteries.

INTELLIGENT

Storage of the last 60 measurements to facilitate medical monitoring.

INCLUDED ACCESSORIES

Delivered in a carrying case, a health passport and a detailed manual.



5-year
warranty



Ref. W0850 002 001

5-year
warranty



Ref. W0890 002 001

BHS certification

(British Hypertension Society)

C/B for the wrist model
A/A for arm models

Measurement range

Systolic / diastolic pressure: 30 - 280 mmHg
pulse rate: 40 - 200 bpm

Precision

Blood pressure: + / - 3 mmHg
Pulse rate: + / - 5 %

Memory

Wrist: 60 readings memorised
Arm models: 99 or 200 readings memorised

Cuff size

- Wrist: 13.5 to 19.5 cm
- Arm models: 22 to 32 cm
Optional large cuff: 32 to 42 cm

Power supply

- Wrist: 2 AAA 1.5 V batteries (supplied)
- Arm models: 4 AA 1.5 V batteries (supplied)
Possibility of using rechargeable batteries for all 3 models

Option for arm models

Mains adaptor (not supplied)

5-year warranty*

Validated A/A by the BHS

*Warranty on device and cuff. Excluding batteries and signs of knocks.

THERMOMETERS

PRECISE AND FAST

3 seconds at 5 cm from the forehead.
Fever signal.

PRACTICAL

Can be used without contact in forehead mode or on the objects (temperature of the baby's bottles, bath, room...).

INCLUDED ACCESSORIES


Delivered with 2 x 1.5 V AAA batteries and a storage pocket.

**Contact-free
thermometer**

3-year
warranty

In a presentation box containing 4 units

Ref. W1360 001 001





Digital baby thermometer with a flexible tip

COMFORTABLE

Flexible tip.

FAST AND ACCURATE

Rectal temperature measurement in 10 seconds.

EASY TO MAINTAIN

Totally waterproof.

INCLUDED ACCESSORY

Protection tube.

Supplied with 1 battery 1.5 V / L 736 F

2-year warranty

In a presentation box containing 12 units

Ref. W1350 001 012



Digital thermometer

PRECISE

Rectal temperature measurement

PRACTICAL

Fever signal/memory of the last measurement.

INCLUDED ACCESSORY

Protection tube.

Supplied with 1 battery 1,5 V / LR 41

2-year warranty

In a presentation box containing 12 units

Blue

Ref. W1340 500 012

Yellow

Ref. W1340 120 012

	Contact-free	Baby flexible tip	Digital
Measurement ranges	Body mode: 34.0-42.2°C Object mode: 0-100.0°C	32.0°C to 42.9°C	32,0°C à 42,9°C
Accuracy	±0.2°C between 36.0 and 39.0°C	±0.1°C between 34°C and 42°C at an ambient temperature of 18 to 28°C	±0.1°C between 34°C and 42°C at an ambient temperature of 18 to 28°C
Display	LCD (liquid crystal) screen, 4 digits + special symbols	LCD 3 digits	LCD 3 digits
Standards	ASTM E1965; IEC 60601-1; IEC 60601-1-2 (EMC)	prEN12470-3 1997, clinical thermometer ASTM standard NF	prEN12470-3 1997, clinical thermometer ASTM standard NF
Power Supply	2 AAA 1.5 V batteries	1 x 1.5 V battery	1 x 1.5 V / LR 41 battery



BEDS AND RELATED ITEMS

AIDS TO PREVENT PRESSURE SORES

CUSHIONS

MATTRESSES

PILLOWS

MEDICAL BEDS

BED ACCESSORIES

AIDS TO PREVENT PRESSURE SORES

BRADEN SCALE

		Score (circle your answer)
SENSORY PERCEPTION		
Ability to respond meaningfully to pressure-related discomfort.	Completely limited	1
	Very Limited	2
	Slightly Limited	3
	No impairment	4
MOISTURE		
Degree to which skin is exposed to moisture.	Constantly moist	1
	Very moist	2
	Occasionally moist	3
	Rarely moist	4
ACTIVITY		
Degree of physical activity.	Bedfast	1
	Chairfast	2
	Walks occasionally	3
	Walks frequently	4
MOBILITY		
Ability to change and control body position.	Completely immobile	1
	Very limited	2
	Slightly limited	3
	No limitation	4
NUTRITION		
Usual food intake pattern.	Very poor	1
	Probably inadequate	2
	Adequate	3
	Excellent	4
FRICTION & SHEAR		
Stress exerted on the skin.	Problem	1
	Potential problem	2
	No apparent problem	3
YOUR SCORE		

Braden Score
18 to 23
Pressure ulcer risk
zero to low

Braden Score
14 to 17
Pressure ulcer risk
low to moderate

Braden Score
9 to 13
Pressure ulcer risk
moderate to high

Braden Score
6 to 8
Pressure ulcer risk
high

CareProtectPedi

Prevents pressure ulcers



PREVENTS PRESSURE ULCERS

High-density foam that distributes pressure points evenly at the foot level.

EASY TO PUT ON

Thanks to the elastic fabric.

COMFORTABLE

Jersey knitwear: 92% cotton and 8% elastane.

MAINTENANCE

machine washable at 60°C and reusable, up to 10 washes at 90°C



Ref. 2306 01 In pairs

Size 1 (27-31 cm)

Size 2 (32-36 cm)

Size 3 (37-42 cm)

Braden Score

9 to 13

Pressure ulcer risk
moderate to high

CUSHIONS



Cushion

Foam and fluid gel cushion

Low to moderate risk of pressure ulcers

PREVENTS PRESSURE ULCERS

The upper layer of gel moves with the body. Waterproof and breathable cover.

COMFORTABLE

Bi-material cushion: fluid gel layer (1 cm thick) and high resilience foam (38 kg/m³ of 4.5 cm thick).

MAINTENANCE

Can be disinfected by most common cleaning agents, washable at 90 °C.

Morphology memory foam cushion

Moderate to high risk of pressure ulcers

PREVENTS PRESSURE ULCERS

- sacrococcygeal pressure ulcers: posterior notch
- ischiatic pressure ulcers: thicker at the ischial level
Waterproof and breathable cover.

SECURE

Anti-slip base to prevent the cushion from slipping on the seat.

MAINTENANCE

Can be disinfected by most common cleaning agents, washable at 90 °C.
Supplied with 2 covers.
3-year warranty against sagging.

Braden Score
14 to 17
Pressure ulcer risk
low to moderate



95 kg
max

2-year
warranty

Ref. W0470.003.001

Cushion (W x D x H)	40 x 40 x 5,5 cm
Poids du coussin	1,9 kg

Braden Score
9 to 13
Pressure ulcer risk
moderate to high




100 kg
max

3-year
warranty

Ref. W0480.003.001

Density	82 kg/m ³
Cushion (W x D x H)	43 x 43 x 6/9 cm
Cushion weight	1,4 kg



Hand pump with
pressure gauge

Excellent ventilation
between the cells

Pneumatic cell cushion

High risk of pressure ulcers

PREVENTS PRESSURE ULCERS

The air which flows between the cells allows a significant decrease of pressures and reduces the risks of maceration.

EFFECTIVE

The body sinks into the cushion thanks to the soft, individually deformable cells. Reduction of maceration risks thanks to ventilation between the cells.

EASY TO MAINTAIN

Easy-care, washable cover at 40 °C.

SECURE

Anti-slip base to prevent the cushion from slipping on the seat.

INCLUDED ACCESSORIES

Delivered with 2 covers and an inflation bulb.



Braden Score
6 to 8
Pressure ulcer risk
high



35 to
120 kg
max

3-year
warranty

1-valve (1-compartment) cushion for patients
with no stability problems

Ref. W0490 004 101

(W x D x H) 40 x 40 x 7 cm

Ref. W0490 004 201

(W x D x H) 45 x 40 x 7 cm

2-valve (2-compartment) cushion for patients
with stability problems

Ref. W0490 004 301

(W x D x H) 40 x 40 x 7 cm

Ref. W0490 004 401

(W x D x H) 45 x 40 x 7 cm

MATTRESSES



Clinical mattress

Zero to low-risk of pressure ulcers

As a substitute for a traditional mattress for bedridden people

COMFORTABLE AND STRONG

High resilience polyester foam 30kg/m³.

HYGIENIC

3-sided zipper with flap: washable, waterproof and breathable.

One year warranty against sagging (excluding cover).

Braden Score
18 to 23
Pressure ulcer risk
zero to low




40 to
120 kg
max

1-year
warranty

Ref. W3009 003 001

Density	30 kg/m ³
Mattress (L x W x H)	195 x 88 x 14 cm



Single load bearing waffle mattress

Low to moderate risk of pressure ulcers

Optimal for a medical bed

PREVENTS PRESSURE ULCERS

Waffle-shaped moulded mattress that distributes body pressure points evenly.

COMFORTABLE

40 kg/m³ high resilience moulded polyurethane foam.

HYGIENIC

3-sided zipper with flap: waterproof and strong.

2-year warranty against sagging (excluding cover).



Braden Score
14 to 17
Pressure ulcer risk
low to moderate



40 to
120 kg
max

**2-year
warranty**

Alternating pressure over-mattress & compressor

Low to moderate risk of pressure ulcers

Alternating pressure over-mattress for use on a clinical mattress (Ref. W3009 003 001), and covered with a sheet.

PREVENTS PRESSURE ULCERS

The two air circuits inflate one after the other in order to relieve pressure alternatively.

ADAPTABLE

Pressure in the over-mattress is adjustable according to the user's weight.



Braden Score
14 to 17
Pressure ulcer risk
low to moderate



30 to
120 kg
max

**2-year
warranty**

Morphology memory foam mattress

Moderate to high risk of pressure ulcers

Optimal for a medical bed


PREVENTS PRESSURE ULCERS

Gently returns to its original shape and exerts a low counter-pressure against bony protuberances.

HYGIENIC

3-sided zipper with flap: washable, waterproof and strong.

3-year guarantee against sagging (excluding cover).



Braden Score
9 to 13
Pressure ulcer risk
moderate to high



40 to
120 kg
max

**3-year
warranty**

Ref. W3000 002 001

Density	40 kg/m ³
Mattress (L x W x H)	195 x 86 x 14,5 cm

Ref. W3015 003 001

4.5-litre compressor: ABS housing	
Adjustable pressure	30 to 110 mmHg
Cycle time	10 minutes
Hooks for suspension from the foot of the bed	
Over-mattress: PVC material	
Over-mattress inflated - including flaps (L x W x H)	280 x 90 x 6,5 cm

Ref. W3006 001 001

Visco-elastic foam of density	82 kg/m ³
Mattress (L x W x H)	195 x 87 x 14 cm

PILLOWS



Cervi+ and Cervi+ Maxi morphology memory foam pillow

Adaptability of the cushion to the user's morphology

ERGONOMIC

Fits the head shape without putting strain on the shoulder or cervical spine.

COMFORTABLE

Visco-elastic foam that exerts a low counter-pressure; facilitates blood circulation and reduces pressure.

EASY TO MAINTAIN

High-quality stretch sponge cover washable at 40 °C.

STRONG

3-year warranty against sagging.

INCLUDED ACCESSORIES

Supplied with high quality cover. Spare covers available.

3-year
warranty

Cervi +

Ref. W0460 004 001

Density	75 kg/m ³
Pillow (W x D x H)	50 x 32 x 10,5 / 8 cm
Spare cover alone	WW0460 030 1A

Cervi + maxi

Ref. W0460 004 002

Density	75 kg/m ³
Pillow (W x D x H)	65 x 36 x 11,5 / 10 cm
Spare cover alone	WW0460 030 2A
Appropriate standard pillow-case (L x W)	70 x 50 cm

MEDICAL BEDS



Haydn bed

No visible electric motor at the head and footboard

3 FUNCTIONS

Variable height, backrests adjustment, leg support adjustment.

DESIGN

Close to the looks of a traditional bed.

COMPACT

Can be dismantled into 4 parts (weight of each part: at most 22 kg).

EASY INSTALL PROCESS

Quickly installed without tools.

ACCESSORIES

Available with a pair of Milano wooden barriers or a pair of Paris metallic barriers.

Accessories available on page 50

Milano wooden barriers

Paris metal barriers

Lifting pole


Delivered in 2 cardboard boxes

Ref. V2007 540 001

Thuasne beds, Paris metal bed rails and Milano wooden rails comply with:
- European standard
NF N 60601-2-52:
AMD1⁽¹⁾

⁽¹⁾ Last publication: August 2015.

MEDICAL BEDS



Mantovani bed

Visible motor at the head and footboard.

3 FUNCTIONS

Variable height, backrests adjustment, leg support adjustment.

COMPACT

Can be dismantled into 4 parts (weight of each part: at most 22 kg).

EASY INSTALL PROCESS

Quickly installed without tools.

ACCESSORIES

Available with a pair of Milano wooden barriers or a pair of Paris metal barriers.

Accessories available on page 50

Milano wooden barriers

Paris metal barriers

Lifting pole

Delivered in 2 cardboard boxes

Ref. V2006 540 001

* Milano wooden and Paris metal barriers are compatible with G3 and G4 beds (see p 50).


Please contact us for further information on beds.

Haydn and Mantovani beds

Column beds with motors at the head and the foot of the bed, freeing up space under the bed.





Cables attached to the frame to prevent them from being pulled out. Main power lead reinforced to prevent it from being cut accidentally.



Electric leg raiser, in 2 sections

Section 2 can be adjusted manually to obtain a bent-knee position



TECHNICAL INFORMATION

Bed (A: Length x B: Width)

C - Headboard height from bed base

D - Highest/lowest position with 100 mm wheels

Bed base (E: Length x F: Width)

Ground clearance

Maximum weight (user, mattress and accessories)

Min-Max height of the mattress with Paris bed rails

Min-Max height of the mattress with Milano bed rails

Weight of the heaviest part

Maximum user weight

Body Mass Index (BMI)

Bed kit dimensions (length x width x height)

Two-year warranty for the motor and five-year warranty for the frame, under normal conditions of use

Mantovani bed

214 x 105 cm

42 cm

40/80 cm

200 x 94 cm

35 cm

170 kg

12/19 cm

12/18 cm

20 kg

135 kg

> 17

105 x 63 x 130 cm

Haydn bed

217 x 105 cm

46 cm

40/80 cm

200 x 94 cm

35 cm

170 kg

12/19 cm

12/18 cm

22 kg

135 kg

> 17

105 x 69 x 130 cm



135 kg max

2-year motor warranty
5-year frame warranty

BED ACCESSORIES



Remote control with a locking system

For Haydn and Mantovani beds

PRACTICAL

Fixing hook on the bed.

RELIABLE

Moisture resistance (built to IPX6 standard).

SECURE

Locking system for bed functions.

Ref. V8300286



Lifting pole

PRACTICAL

Compatible with Haydn and Mantovani beds.

ADAPTABLE

Adjustable standing pole width.

Ref. V214 910 110



Standing pole Geneva

PRACTICAL

Compatible with most standard beds and recliners.

ADAPTABLE

Adjustable length standing pole.

Ref. V014 949 020

Height adjustment from floor of the triangle	117 / 152 cm
Total width	89 cm
Height of the feet	10 cm
Maximum weight	80 kg



Pair of Paris metal bed rails *

For Haydn and Mantovani beds

PRACTICAL

Easily folded.

EASY INSTALL PROCESS

Quickly installed without tools.

SECURE

Unlocking system at the foot of the bed.

Ref. VF214 925 125



Pair of Milano wooden bed rails *

For Haydn and Mantovani beds

PRACTICAL

Vertical sliding.

EASY INSTALL PROCESS

Quickly installed without tools.

Ref. VF214 927 222



Transport kit

Makes it possible to keep the various sections of the bed together.

Ref. V8400100

* Milano wooden and Paris metal barriers are compatible with G3 and G4 beds.

Please contact us for further information on beds.



Bed table, height adjustable

ADAPTABLE

Height-adjustable tray.

SECURE

Casters equipped with brakes.

Ref. W0310 001 001

Height	70 to 110 cm
Tray (L x W)	80 x 40 cm



Classic bed table

ADAPTABLE

Height-adjustable table and sideways adjustable tray.

Ref. W0300 001 001

Height	70 to 110 cm
Tray (L x W)	60 x 40 cm



Backrest

ADAPTABLE

Adjustable in inclination.

EASY TO MAINTAIN


Easy to clean, breathable fabric allows the skin to breathe.

Ref. W0320 002 001

Backrest (W x H)	61 x 58 cm
------------------	------------



100 kg
max



Drip-holder on casters

PRACTICAL

Essential for IV bags, easy to move thanks to the pivoting casters.

Ref. W0305 001 001

Total weight supported / per hook	16 kg /4 kg
Max height	2,40 m
Floor space	Ø 54 cm



LIM Helping hands

Enables the patient to pick up objects on the ground

PRACTICAL

Can be clipped to a walking aid.

ADAPTABLE

65 cm pliers: sitting position.
80 cm pliers: standing position.

LIGHT

In aluminium.

65 cm Ref. W2600 001 101

80 cm Ref. W2600 001 201



THUASNE

WINGS
FOR YOUR HEALTH

THUASNE

120, rue Marius AUFAN - CS 10032 - 92309 Levallois-Perret Cedex - France
Tel. +33 1 41 05 92 92 - Fax +33 1 41 05 89 91
e-mail: sales.export@thuasne.fr

www.thuasne.com



Our products are covered by a warranty against latent defects for a period of 2 years from the date of purchase by the user. The warranty applies for normal conditions of use in accordance with our recommendations. In some cases, a shorter (for example for certain wearing parts or batteries) or longer warranty period may apply. If necessary, refer to the instruction leaflet supplied with the product



Tous les papiers
se trient et se recyclent

